RÖCHLING RÖCHLING news & knowledge

November | 2009

Polystone® M MDT - detectable UHMW-PE for food-processing & packaging machinery!

Polystone[®] MMDT

Food processors face the ever present risk of contamination finding its way into their product. The risks and potential financial losses can be significant if not detected early. Röchling Engineering Plastics now offers a ground breaking solution to this problem with the introduction of **Polystone**[®]**M MDT**.

The unique additives in this product allow it to be easily traced by standard metal detectors while continuing to provide the outstanding wear-resistance and sliding properties you would expect from Polystone[®] M. Designed to replace machined parts made from steel and lower performing plastics, this engineering polymer has high-impact strength, is easily machined and has no moisture absorption.

Polystone[®] **M MDT** complies with FDA regulations concerning direct contact with food. Every food processor that utilizes metal detectors in their processing or packaging operations can easily realize the advantages of **Polystone**[®] **M MDT**.

Available as:	Suggested use with the include:	following food products
	frozen & prepared foods	cheese
Rods: 1/2" to 8" dia	soup and chili	⊃ ice cream
Sheets: 3/8" to 4" thick	⊃ snack foods	candies and chocolates
Profiles: standard or custom	chips and tortillas	⊃ pastries
	⇒ cereals	⊃ pet food

Property	Units	Polystone [®] M MDT
Density	g/cm3	0.949
Elongation	%	320
Wear by sand-slury test	Nat. UHMW = 100	88
Constant service temperature-max.	F°	180

Applications

- wear-strips
- sprockets
- chain guides & tracks
- bushing & bearings

pillow blocks

- gears
- Röchling Engineering Plastics offers the most comprehensive product line in the USA and Canada including:


Polystone[®] M (UHMW-PE) Polystone[®] P (Polypropylene) Polystone[®] G (HDPE) Sustamid[®] Nylon Sustarin[®] Acetal Susta HPM's



- scraper blades
- mixer components

The values indicated result from numerous measurements for an approximation of the values and are to our best knowledge. They serve as information about our products and are presented as a guide to choose from a range of materials. This however does not include an assurance of specific properties or the suitability for particular application purposes that are legally binding. Since the properties also depend on the dimension of the semifinished products and the degree of crystallization (e.g. nucleating by pigments), the actual values of the properties of a particular product may differ from indicated values.

Röchling Engineering Plastics 903 Gastonia Technology Parkway Dallas, NC 28034, USA Phone: 704-922-7814 Fax: 704-922-7651 info@roechling-plastics.us www.roechling-plastics.us



It is the responsibility of the user to test & approve the metal detection of this product due to variations in the metal detection systems and required sensitivity settings.

www.roechling-plastics.us